


## 5.197 Regulated Crossing 160A



## INVENTORY

### Wetlands

Wetland 032819\_JL\_1003\_PEM is a field-delineated palustrine emergent wetland occurring in a fallow field adjacent to Studdiford Street. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

None of the regulated resources in this crossing are on public lands.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 032819\_JL\_1003\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP104.18R2\_032719\_JM\_1004\_I\_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Stream MP104.18R2\_032719\_JM\_1004\_I\_MI is a field-delineated intermittent, minor stream that flows south through an early successional meadow, adjacent to Goat Hill Road. It is an unnamed tributary to Moores Creek.

### Riparian Zones

RZ of Stream MP104.18R2\_032719\_JM\_1004\_I\_MI is the 150-foot riparian area associated with this stream. This riparian area is actively disturbed.

### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Moores Creek is classified as a trout maintenance waterbody (FW2-TM).

## **ASSESSMENT**

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Access roads, HDD pullbacks, and other Project related surface disturbances not directly associated with pipeline installation are proposed at this regulated crossing. Regulated activities associated with these activities have been minimized to the maximum extent practicable as documented in the Alternatives Analysis, Attachment K. Proposed activities include temporary clearing and grading necessary for temporary construction access or workspace. Permanent impacts may include the removal of trees. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

### Measures Taken to Reduce Potential Adverse Environmental Impacts

Surface disturbances not directly associated with pipeline installation could not be avoided at this regulated crossing. PennEast sought to avoid or minimize the impacts to wetlands, State Open Waters and riparian zones in these areas; discussion of these efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs

and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;


- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.198 Regulated Crossing 160B



## INVENTORY

### Wetlands

Wetland 033019\_JM\_1003\_PEM is a field-delineated palustrine emergent wetland occurring in a fallow field adjacent to an existing, maintained utility right-of-way. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Wetland 040119\_LD\_1001\_PEM is a field-delineated palustrine emergent wetland occurring in a fallow field. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

None of the regulated resources in this crossing are on public lands.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 033019\_JM\_1003\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Wetland 040119\_LD\_1001\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

### Riparian Zones

Based upon fieldwork and review of publicly available data, riparian zones are not located at this regulated crossing.

### Fishery Resources

Based upon fieldwork and review of publicly available data, fishery resources are not located at this regulated crossing.

## ASSESSMENT

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

## Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;


- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.199 Regulated Crossing 161



## INVENTORY

### Wetlands

Wetland 102616\_SQ\_1002\_PEM is a field-delineated palustrine emergent wetland located directly adjacent to an unnamed tributary to Moores Creek, 040119\_LD\_1002\_P\_MI. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Wetland 102616\_SQ\_1002\_PSS is a palustrine scrub-shrub wetland located directly adjacent to an unnamed tributary to Moores Creek, 040119\_LD\_1002\_P\_MI. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

None of the regulated resources in this crossing are on public lands.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 102616\_SQ\_1002\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Wetland 102616\_SQ\_1002\_PSS has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP104.62R2\_040119\_LD\_1002\_P\_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### Channels

Stream MP104.62R2\_040119\_LD\_1002\_P\_MI is a field-delineated, perennial, minor stream that flows south through a scrub-shrub/emergent wetland (delineated as 102616\_SQ\_1002\_PSS/PEM).

### Riparian Zones

RZ of MP104.62R2\_040119\_LD\_1002\_P\_MI is 150-foot riparian area associated with this stream. This riparian area is vegetated.

MP104.56\_NJ-FHA-89 is 150-foot riparian area associated with an offsite stream. This riparian area is actively disturbed.

### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Moores Creek is classified as a trout maintenance waterbody (FW2-TM).

## ASSESSMENT

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas and dry crossing of streams is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed



proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

#### Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:


- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;

- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable; no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.

## 5.200 Regulated Crossing 161A



### INVENTORY

#### Wetlands

Wetland 040119\_JM\_1001\_PEM is a field-delineated palustrine emergent wetland occurring in an existing, maintained utility right-of-way, at the edge of forest. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

#### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

#### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

#### Public Lands

None of the regulated resources in this crossing are on public lands.



### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 040119\_JM\_1001\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

### Riparian Zones

Based upon fieldwork and review of publicly available data, riparian zones are not located at this regulated crossing.

### Fishery Resources

Based upon fieldwork and review of publicly available data, fishery resources are not located at this regulated crossing.

## **ASSESSMENT**

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

### Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;


- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.201 Regulated Crossing 162



### INVENTORY

#### Wetlands

Not present.

#### Transition Areas

Not present.

#### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

#### Public Lands

None of the regulated resources in this crossing are on public lands.

#### Critical Habitat and Threatened or Endangered Species and their Habitat

Stream MP104.79R2\_032919\_LD\_1001\_P\_IN has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

#### State Open Waters and Channels

Stream MP104.79R2\_032919\_LD\_1001\_P\_IN is a field-delineated perennial, intermediate stream that flows south through forest.

#### Riparian Zones

RZ of MP104.79R2\_032919\_LD\_1001\_P\_IN is the 150-foot riparian area associated with this stream. This riparian area is vegetated.

#### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Moores Creek is classified as a trout maintenance waterbody (FW2-TM).

### ASSESSMENT

#### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through riparian areas and dry crossing of streams is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

#### Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:


- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

## **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.202 Regulated Crossing 162A



## INVENTORY

### Wetlands

Wetland 032018\_CM\_1004\_PEM\_SWALE (continued as 040119\_JM\_1002\_PEM) is a field-delineated palustrine emergent wetland occurring along Valley Road within an existing, maintained utility right-of-way. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

None of the regulated resources in this crossing are on public lands.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 032018\_CM\_1004\_PEM\_SWALE (continued as 040119\_JM\_1002\_PEM) has been identified as suitable or potentially suitable habitat for the following State-listed endangered or threatened species: red-headed woodpecker.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

### Riparian Zones

Based upon fieldwork and review of publicly available data, riparian zones are not located at this regulated crossing.

### Fishery Resources

Based upon fieldwork and review of publicly available data, fishery resources are not located at this regulated crossing.

## ASSESSMENT

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Conventional bore is the pipeline construction method proposed at this regulated crossing. Adverse environmental impacts have been reduced or eliminated by the use of trenchless technology. As demonstrated in the Alternatives Analysis, Attachment K, to the extent that temporary construction access and workspace for the Project includes disturbance of vegetation, those impacts are unavoidable. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline as required for compliance with FERC and Pipeline and Hazardous Materials Safety Administration requirements. Temporary matting will be utilized within regulated areas to reduce impacts to herbaceous vegetation. In place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. Based on the foregoing, it is not anticipated that the proposed conventional bore at this crossing will result in significant permanent adverse environmental impacts.

### Measures Taken to Reduce Potential Adverse Environmental Impacts

Utilizing a conventional bore avoids in-stream impacts. However, impact to environmental features above the bore cannot be avoided as compliance with FERC requirements necessitates the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline. In an effort to minimize or avoid adverse environmental impacts, PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4). Section 4 of this report details the range of proposed BMPs and



mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:


- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;

- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

## **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.

## 5.203 Regulated Crossing 163



## INVENTORY

### Wetlands

Wetland 110816\_DC\_1001\_PEM /110816\_DC\_1001\_PFO is a field-delineated palustrine emergent/forested wetland complex. It occurs adjacent to an unnamed field-delineated minor perennial tributary of the Moore's Creek. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

None of the regulated resources in this crossing are on public lands.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 110816\_DC\_1001\_PEM /110816\_DC\_1001\_PFO has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP105.30R2\_022817\_RP\_1001\_P\_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Stream MP105.30R2\_022817\_RP\_1001\_P\_MI is a minor, perennial stream flowing south between a fallow agricultural field and forest. The banks showed some undercutting. The bank width is approximately five feet and the streambed is made up of cobble, gravel, and sand. Significant bank erosion from high-velocity high flow events was observed at this site.

### Riparian Zones

RZ of MP105.30R2\_022817\_RP\_1001\_P\_MI is the 150-foot riparian area associated with this stream. This riparian area is vegetated on the north side of the stream and actively disturbed on the south side of the stream.

### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Moores Creek is classified as a trout maintenance waterbody (FW2-TM).

## **ASSESSMENT**

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas and dry crossing of streams is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

## Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;


- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable; no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.204 Regulated Crossing 164



## INVENTORY

### Wetlands

Wetland 060415\_SQ\_1001/1002\_PEM (continued as 021919\_DB\_1003\_PEM) is a field-delineated palustrine emergent wetland. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands

Regulated Resource 060415\_SQ\_1001\_PEM is located on Block 59, Lot 13.01 in Mercer Township. This property is public land owned by the County of Mercer.

### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 060415\_SQ\_1001/1002\_PEM (continued as 021919\_DB\_1003\_PEM) has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

### State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

### Riparian Zones

Based upon fieldwork and review of publicly available data, riparian zones are not located at this regulated crossing.

### Fishery Resources

Based upon fieldwork and review of publicly available data, fishery resources are not located at this regulated crossing.

## **ASSESSMENT**

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

### Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs

and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;


- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.



## 5.205 Regulated Crossing 165



## INVENTORY

### Wetlands

Wetland 060415\_SQ\_1003\_PFO (continued as 021919\_DB\_1002\_PFO) is a field-delineated palustrine forested wetland occurring along Moores Creek. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Wetland 062019\_LD\_1005\_PEM is a field delineated, palustrine emergent wetland occurring in a ditch along Pleasant Valley Road. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

### Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

### Public Lands



Regulated Resources 060415\_SQ\_1003\_PFO and 060415\_SQ\_1003\_P\_IN are located on Block 59, Lot 13.01 in Mercer Township. This property is public land owned by the County of Mercer.

#### Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 060415\_SQ\_1003\_PFO (continued as 021919\_DB\_1002\_PFO has not been identified as potentially suitable habitat for any threatened or endangered species.

Wetland 062019\_LD\_1005\_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP105.68R2\_060415\_SQ\_1003\_P\_IN has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

#### State Open Waters and Channels

Stream MP105.68R2\_060415\_SQ\_1003\_P\_IN is a field-delineated perennial section of Moores Creek, an intermediate, perennial, east-flowing stream, which traverses forested habitat and a maintained utility right-of-way. The feature flows southwest through forest. The banks show some undercutting, and the bank width is approximately 40 feet. Cobble, gravel, sand, and silt comprise the streambed substrate.

#### Riparian Zones

RZ of MP105.68R2\_060415\_SQ\_1003\_P\_IN is the 150-foot riparian area associated with this stream. This riparian area is vegetated.

#### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of Moores Creek is classified as a trout maintenance freshwater body (FW2-TM).

### ASSESSMENT

#### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

HDD is the pipeline construction method proposed at this regulated crossing. Adverse environmental impacts have been eliminated by the use of trenchless technology. As demonstrated in the Alternatives Analysis, Attachment K, to the extent that temporary construction access and workspace for the Project impact regulated resources those impacts are both unavoidable and temporary. In consideration of these observations, it is not anticipated that the proposed HDD at this crossing will result in permanent adverse environmental impacts.

## Measures Taken to Reduce Potential Adverse Environmental Impacts

To mitigate the inherent risks in HDD construction, PennEast prepared a design for the proposed HDD based on information from a site specific geotechnical investigation and developed a HDD IRCP (Attachment R). In an effort to minimize or avoid adverse environmental impacts, PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4). Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:


- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;

- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable; no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.

## 5.206 Regulated Crossing 166



### INVENTORY

#### Wetlands

Wetland 060415\_SQ\_1007\_PEM is a field delineated, palustrine, emergent wetland fringe occurring along two unnamed tributaries to Moores Creek (field delineated as 060415\_SQ\_1005\_P\_IN and 062019\_LD\_1002\_E\_MI). Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

#### Transition Areas

The Transition Area is assumed to be 150 feet due to the proximity of mapped Threatened or Endangered Species habitat to the wetland feature.

#### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

## Public Lands

Regulated Resources 060415\_SQ\_1006\_PFO, 060415\_SQ\_1007\_PFO, and 060415\_SQ\_1005\_P\_MI are located on Block 60, Lot 5 in Mercer Township. This property is public land owned by the County of Mercer/State of New Jersey – Department of Environmental Protection.

## Critical Habitat and Threatened or Endangered Species and their Habitat

Wetland 060415\_SQ\_1007\_PEM has been identified as suitable or potentially suitable habitat for the following State-listed endangered or threatened species: wood turtle.

Stream MP105.96R2\_060415\_SQ\_1005\_P\_IN has been identified as suitable or potentially suitable habitat for the following State-listed endangered or threatened species: wood turtle.

Stream MP105.96R2\_062019\_LD\_1002\_E\_MI has been identified as suitable or potentially suitable habitat for the following State-listed endangered or threatened species: wood turtle.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

## State Open Waters and Channels

Stream MP105.96R2\_060415\_SQ\_1005\_P\_IN is a field delineated, perennial, intermediate stream that flows south through forest. It is an unnamed tributary to Moores Creek.

Stream MP105.96R2\_062019\_LD\_1002\_E\_MI is a field delineated, unnamed tributary to Moores Creek. It is an ephemeral, minor stream that flows south through forest. The feature drains to another unnamed tributary to Moores Creek (field delineated as 060415\_SQ\_1005\_P\_IN).

## Riparian Zones

RZ of MP105.96R2\_060415\_SQ\_1005\_P\_IN is the 150-foot riparian area associated with this stream. This riparian area is vegetated within the crossing and actively disturbed beyond.

RZ of MP105.96R2\_062019\_LD\_1002\_E\_MI is the 150-foot riparian area associated with this stream. This riparian area is vegetated within the crossing and actively disturbed beyond.

## Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of Moores Creek is classified as a trout maintenance freshwater body (FW2-TM).

## ASSESSMENT

### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

HDD is the pipeline construction method proposed at this regulated crossing. Adverse environmental impacts have been eliminated by the use of trenchless technology. As demonstrated in the Alternatives Analysis, Attachment K, to the extent that temporary construction access and



workspace for the Project impact regulated resources those impacts are both unavoidable and temporary. In consideration of these observations, it is not anticipated that the proposed HDD at this crossing will result in permanent adverse environmental impacts.

#### Measures Taken to Reduce Potential Adverse Environmental Impacts

Utilizing HDD technology minimizes direct impacts to environmentally sensitive areas. To mitigate the inherent risks in HDD construction, PennEast prepared a design for the proposed HDD based on information from a site specific geotechnical investigation and developed a HDD IRCP (Attachment R). In an effort to minimize or avoid adverse environmental impacts, PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4). Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:


- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;

- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable; no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.

## 5.207 Regulated Crossing 167



### INVENTORY

#### Wetlands

Not present.

#### Transition Areas

Not present.

#### Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

#### Public Lands

None of the regulated resources in this crossing are on public lands.

#### Critical Habitat and Threatened or Endangered Species and their Habitat

Stream MP106.12R2\_062019\_LD\_1004\_E\_MI has been identified as suitable or potentially suitable habitat for the following State-listed endangered or threatened species: wood turtle.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey State-listed species potentially occurring within regulated areas of the study corridor are provided in the HPP.

#### State Open Waters and Channels

Stream MP106.12R2\_062019\_LD\_1004\_E\_MI is a field delineated, ephemeral, minor stream that flows west through forest. It is an unnamed tributary to Moores Creek.

#### Riparian Zones

RZ of MP106.12R2\_062019\_LD\_1004\_E\_MI is the 150-foot riparian area associated with an unnamed tributary to Moores Creek. This riparian area is vegetated.

RZ of MP106.01R2\_NJ-FHA-127 is the 150-foot riparian area associated with an unnamed tributary to Moores Creek. This riparian area is vegetated.

RZ of MP106.11R2\_NJ-FHA-107 is the 150-foot riparian area associated with an unnamed tributary to Moores Creek. This riparian area is vegetated.

#### Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of Moores Creek is classified as a trout maintenance freshwater waterbody (FW2-TM).

### ASSESSMENT

#### Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas and dry crossing of streams is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

#### Measures Taken to Reduce Potential Adverse Environmental Impacts

Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs

and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

The following key measures will be implemented to avoid, minimize and mitigate potential adverse environmental impacts:

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration of forested wetlands to a function or value greater than or equal to existing conditions where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the *Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ* (NJDEP ENSP 2011) (*Strategies*);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such as streams and wetlands and transition areas; project-specific cleanup protocols and notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;



- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

### **FINDINGS**

The implementation of appropriate avoidance, minimization, and mitigating measures identified for wetlands, transition areas, species, or species group will avoid and minimize impacts to these environmental resources, State-listed wildlife and plant species. By following the key measures as listed above and in the HPP, it is anticipated that existing populations of State-listed species will not be jeopardized.