Wetland 110116_DC_1002_PSS / 010517_RP_1002_PSS / 110116_DC_1002_PFO has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP101.07R2_010517_SQ_1001_P_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey Statelisted species potentially occurring within regulated areas of the study corridor are provided in the HPP.

State Open Waters and Channels

Stream MP101.07R2_010517_SQ_1001_P_MI is a perennial, minor tributary of Alexauken Creek with a south flow. The banks are stable, and the bank width is approximately eight to 10 feet. Silt and clay comprise the streambed. Portions of the feature occur along a forest/agricultural field edge and across a maintained overhead electric utility right-of-way before continuing offsite.

Riparian Zones

RZ of MP101.07R2_010517_SQ_1001_P_MI is the 300-foot riparian area associated with this stream. This riparian area is mostly actively disturbed.

Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, Alexauken Creek is classified as a freshwater trout maintenance waterbody (FW2-TM(C1)).

ASSESSMENT

Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas and dry crossing of streams is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. Temporary matting is proposed within regulated areas to reduce impacts to herbaceous vegetation. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

Measures Taken to Reduce Potential Adverse Environmental Impacts


Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration
 of forested wetlands to a function or value greater than or equal to existing conditions
 where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation
 Management guidance set forth in the Strategies to Minimize Adverse Impacts to Wildlife
 from Management Activities on Powerline Rights-of-Way in NJ (NJDEP ENSP 2011)
 (Strategies);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;

- Project-specific protocols on appropriate fueling station locations and prohibited areas such
 as streams and wetlands and transition areas; project-specific cleanup protocols and
 notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

FINDINGS

5.170 Regulated Crossing 147A



INVENTORY

Wetlands

Wetland 032519_LD_1003_MODAG is a field-delineated modified agricultural wetland occurring in a fallow field, within an existing, maintained utility right-of-way. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

Public Lands

Wetland 032519_LD_1003_MODAG has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey Statelisted species potentially occurring within regulated areas of the study corridor are provided in the HPP.

State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

Riparian Zones

Based upon fieldwork and review of publicly available data, riparian zones are not located at this regulated crossing.

Fishery Resources

Based upon fieldwork and review of publicly available data, fishery resources are not located at this regulated crossing.

ASSESSMENT

Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Open-cut through wetland areas is the pipeline construction method proposed at this regulated crossing. This crossing method is proposed at locations where the use of trenchless technology is not feasible. The Alternatives Analysis, Attachment K, documents this finding. Unavoidable temporary impacts include disturbance to vegetation for temporary construction access and workspace for the Project. Temporary disturbance of wetlands and stream channels during construction is necessary for pipeline installation. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline in compliance with FERC requirements. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

Measures Taken to Reduce Potential Adverse Environmental Impacts


Where impacts could not be avoided with trenchless technology construction, PennEast sought to minimize the impacts to wetlands, State Open Waters and riparian zones with workspace modifications. A discussion of workspace modification efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration
 of forested wetlands to a function or value greater than or equal to existing conditions
 where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation
 Management guidance set forth in the Strategies to Minimize Adverse Impacts to Wildlife
 from Management Activities on Powerline Rights-of-Way in NJ (NJDEP ENSP 2011)
 (Strategies);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such
 as streams and wetlands and transition areas; project-specific cleanup protocols and
 notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas:
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and

• Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

FINDINGS

5.171 Regulated Crossing 147B



INVENTORY

Wetlands

Wetland 032519_LD_1001_PEM is a field-delineated palustrine, emergent wetland occurring adjacent to NJ Route 179. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

Public Lands

Wetland 032519_LD_1001_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

RZ of MP101.29R2_032519_LD_1002_POND_IN has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey Statelisted species potentially occurring within regulated areas of the study corridor are provided in the HPP.

State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

Riparian Zones

RZ of MP101.29R2_032519_LD_1002_POND_IN is the 50-foot riparian area associated with an off-site pond delineated as MP101.29R2_032519_LD_1002_POND_IN. This riparian area is actively disturbed.

Fishery Resources

MP101.29R2_032519_LD_1002_POND_IN is not associated with a waterbody that is listed the Surface Water Quality Standards N.J.A.C.7:9).

ASSESSMENT

Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Conventional bore is the pipeline construction method proposed at this regulated crossing. Adverse environmental impacts have been reduced or eliminated by the use of trenchless technology. As demonstrated in the Alternatives Analysis, Attachment K, to the extent that temporary construction access and workspace for the Project includes disturbance of vegetation, those impacts are unavoidable. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline as required for compliance with FERC and Pipeline and Hazardous Materials Safety Administration requirements. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. Based on the foregoing, it is not anticipated that the proposed conventional bore at this crossing will result in significant permanent adverse environmental impacts.

Measures Taken to Reduce Potential Adverse Environmental Impacts

Utilizing a conventional bore avoids in-stream impacts. However, impact to environmental features above the bore cannot be avoided as compliance with FERC requirements necessitates the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline. In an effort to minimize or avoid adverse environmental impacts, PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation


Control Plans (Attachment E-4). Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration
 of forested wetlands to a function or value greater than or equal to existing conditions
 where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ (NJDEP ENSP 2011) (Strategies);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such
 as streams and wetlands and transition areas; project-specific cleanup protocols and
 notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;

- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

FINDINGS

5.172 Regulated Crossing 148



INVENTORY

Wetlands

Wetland 110716_SQ_1003_PEM is a field-delineated palustrine emergent wetland, occurring along an unnamed field-delineated minor perennial tributary of Swan Creek. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Transition Areas

The Transition Area is assumed to be 50 feet due to the lack of exceptional characteristics associated with the wetland feature.

Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

Public Lands

Wetland 110716_SQ_1003_PEM has not been identified as potentially suitable habitat for any threatened or endangered species.

Stream MP101.38R2_022417_RP_1002_P_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey Statelisted species potentially occurring within regulated areas of the study corridor are provided in the HPP.

State Open Waters and Channels

Stream MP101.38R2_022417_RP_1002_P_MI is a minor perennial tributary of Swan Creek flowing southwest, through agricultural land. It enters the property from beneath a gravel driveway. The bank width is approximately10 feet, and the streambed is made up of gravel and silt.

Riparian Zones

RZ of MP101.38R2_022417_RP_1002_P_MI is the 50-foot riparian area associated with this stream. This riparian area is actively disturbed.

Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Swan Creek is a classified as a non-trout waterbody (FW2-NT).

ASSESSMENT

Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Conventional bore is the pipeline construction method proposed at this regulated crossing. Adverse environmental impacts have been reduced or eliminated by the use of trenchless technology. As demonstrated in the Alternatives Analysis, Attachment K, to the extent that temporary construction access and workspace for the Project includes disturbance of vegetation, those impacts are unavoidable. Permanent impacts include the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline as required for compliance with FERC and Pipeline and Hazardous Materials Safety Administration requirements. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. Based on the foregoing, it is not anticipated that the proposed conventional bore at this crossing will result in significant permanent adverse environmental impacts.

Measures Taken to Reduce Potential Adverse Environmental Impacts

Utilizing a conventional bore avoids in-stream impacts. However, impact to environmental features above the bore cannot be avoided as compliance with FERC requirements necessitates the removal of trees and shrubs located within 15 feet of the pipeline that could compromise the integrity of the pipeline. In an effort to minimize or avoid adverse environmental impacts, PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation


Control Plans (Attachment E-4). Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses:
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration
 of forested wetlands to a function or value greater than or equal to existing conditions
 where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions;
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation
 Management guidance set forth in the Strategies to Minimize Adverse Impacts to Wildlife
 from Management Activities on Powerline Rights-of-Way in NJ (NJDEP ENSP 2011)
 (Strategies);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such
 as streams and wetlands and transition areas; project-specific cleanup protocols and
 notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;

- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and
- Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

FINDINGS

5.173 Regulated Crossing 149



INVENTORY

Wetlands

Not present.

Transition Areas

Not present.

Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

Public Lands

None of the regulated resources in this crossing are on public lands.

Critical Habitat and Threatened or Endangered Species and their Habitat

RZ of MP101.37R2_022417_RP_1002_P_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

RZ of MP101.40R2_031319_JM_1002_I_MI has not been identified as potentially suitable habitat for any threatened or endangered species.

Species accounts describing the natural history and habitat requirements; habitat assessment and/or targeted species survey results; study corridor documentation; potential habitat impacts; and recommended measures to avoid, minimize, and mitigate potential impacts to New Jersey Statelisted species potentially occurring within regulated areas of the study corridor are provided in the HPP.

State Open Waters and Channels

Based upon fieldwork and review of publicly available data, stream channels are not located at this regulated crossing.

Riparian Zones

RZ of MP101.37R2_022417_RP_1002_P_MI is the 50-foot riparian area associated with an off-site unnamed tributary to Swan Creek. This riparian area is actively disturbed.

RZ of MP101.40R2_031319_JM_1002_I_MI is the 50-foot riparian area associated with an off-site unnamed tributary to Swan Creek. This riparian area is actively disturbed.

Fishery Resources

According to the Surface Water Quality Standards N.J.A.C.7:9, this tributary of the Swan Creek is a classified as a non-trout waterbody (FW2-NT).

ASSESSMENT

Analysis Potential Temporary and Permanent Adverse Environmental Impacts of the Proposed Regulated Activity

Access roads, HDD pullbacks, and other Project related surface disturbances not directly associated with pipeline installation are proposed at this regulated crossing. Regulated activities associated with these activities have been minimized to the maximum extent practicable as documented in the Alternatives Analysis, Attachment K. Proposed activities include temporary clearing and grading necessary for temporary construction access or workspace. Permanent impacts may include the removal of trees. In-place restoration is proposed to minimize environmental impacts at this crossing; mitigation, as required by NJDEP rules, is proposed to compensate for adverse wetland and riparian zone impacts. As a result of these considerations, proposed construction at this crossing is not anticipated to result in significant permanent adverse environmental impacts.

Measures Taken to Reduce Potential Adverse Environmental Impacts


Surface disturbances not directly associated with pipeline installation could not be avoided at this regulated crossing. PennEast sought to avoid or minimize the impacts to wetlands, State Open Waters and riparian zones in these areas; discussion of these efforts is provided in the Alternatives Analysis (Attachment K). PennEast will implement Project specific BMPs as detailed on the Project Soil Erosion and Sedimentation Control Plans (Attachment E-4) to further minimize or avoid adverse environmental impacts. Section 4 of this report details the range of proposed BMPs and mitigation measures taken to reduce potential adverse environmental impacts. These BMPs comply with the Standards for Soil Erosion and Sediment Control in New Jersey.

- Delineation of all wetlands in the Project area;
- Avoidance, and minimization of impacts to wetlands to the greatest extent practicable as described in the Alternatives Analysis provided in Attachment K of the Multi-Permit Application;
- Mitigation of unavoidable impacts as described in the Mitigation Proposal provided Attachment N of the Multi-Permit Application;
- Minimization of the operational easement width in wetlands;
- Implementation of trenchless technology construction techniques;
- Follow the site-specific *Inadvertent Returns and Contingency Plan* to avoid and minimize potential impacts from inadvertent return;
- Collocation with existing ROW areas where possible and permitted to minimize forest losses;
- Minimization of forest and vegetation clearing to the greatest extent practicable;
- Allowed post-construction succession of temporarily cleared forest areas and restoration
 of forested wetlands to a function or value greater than or equal to existing conditions
 where practicable;
- Restoration of grassland areas to a function or value greater than or equal to existing conditions:
- Mitigation/compensation provided offsite to potentially result in net-neutral or improved regional habitat conditions for potentially affected species populations;
- Adherence to applicable timing restrictions;
- Potential incorporation of NJDEP-reviewed and approved wildlife enhancement design features on mitigation sites and restoration areas;
- Regular (daily) clearing of work areas by agency-approved and qualified environmental monitors. Safe and appropriate wildlife relocation as needed;
- Regular inspection of protective measures such as fences by environmental monitors;
- Post-construction maintenance standards following NJDEP Integrated Vegetation Management guidance set forth in the Strategies to Minimize Adverse Impacts to Wildlife from Management Activities on Powerline Rights-of-Way in NJ (NJDEP ENSP 2011) (Strategies);
- Incorporate FERC Invasive Species Management Plan;
- Development and utilization of equipment cleaning/sterilization, and other protocols to avoid the spread of invasive species in sensitive terrestrial, wetland and aquatic habitats;
- Project-specific (SESC) standards including temporary erosion control measures such as silt fence, turbidity barriers, sediment filter bags, and erosion mats;
- Commitment not to use herbicides during post-construction maintenance activities;
- Specific seasonal restrictions and buffers will be followed for species and species groups in accordance with *Strategies*;
- Project-specific protocols on appropriate fueling station locations and prohibited areas such
 as streams and wetlands and transition areas; project-specific cleanup protocols and
 notification for any unintended spills during construction;
- Vegetation within temporary workspace areas including wetlands and transition areas will be cut flush to the ground and matted where practicable: no grubbing is proposed in these areas;
- Regular inspection of construction equipment to ensure proper functioning with appropriate filters and air quality controls;
- Adherence to agency-approved blasting plan;
- Avoidance of work personnel outside of the workspace in adjacent naturalized areas (sensitive habitat areas will be posted); and

• Post-construction restoration of stream banks and beds and downstream water quality monitoring as required (sensitive habitat areas) before, during and after construction.

FINDINGS

5.174 Regulated Crossing 150



INVENTORY

Wetlands

Wetland 110716_SQ_1001_MODAG is a field-delineated modified agricultural wetland occurring as a narrow, linear depression within an agricultural field. Additional information on this wetland can be found in the WDR provided in Attachment F of the Multi-Permit Application.

Transition Areas

The Transition Area is assumed to be 0 feet due to the ordinary resource value associated with the wetland feature.

Special Aquatic Sites

Based upon fieldwork and review of publicly available data, special aquatic sites as defined at N.J.A.C. 7:7A-1.4 are not located at this regulated crossing.

Public Lands